







# SAFETY EQUIPMENT

## Contents of Chapter 10:


Eye Wash Stations		10-02
Hand Protection		10-03
Knee Pads		10-04
Eye & Ear Protection		10-04
Flashlights		10-04
P Trap Wraps		10-04



# SAFETY EQUIPMENT

## BRADLEY EMERGENCY EYE WASH STATIONS

### PEDESTAL MOUNTED EYE WASH FIXTURE



#### General Specifications

Pedestal mounted eye wash fixture provides soft streams of water to clean foreign particles or liquids from the eyes.

**HEADS** Chrome plated brass yoke assembly with soft-flow eye wash heads and protective sprayhead covers.

**VALVE** Chrome plated brass 1/2" IPS stay-open ball valve manually operated by stainless steel push flag handle.

**STREAM CONTROL** Integral flow control assures safe flow under varying water supply conditions.

**WASTE** Dome type strainer and 1-1/4" drain fitting furnished.

**PIPE & FITTINGS** 1-1/4" galvanized steel pipe with floor flange. 1-1/4" waste tee. Pipe & tee protected with Bradtect™ safety yellow coating. 1/2" IPS inlet.

**IDENTIFICATION SIGN** 14" x 3-1/2" sign designed for wall mounting Reads: EMERGENCY EYE WASH FOUNTAIN.

CAT NO.	DESCRIPTION	OEM
9BL1001	Pedestal Mount Eye Wash	S19-210

### WALL MOUNTED EYE WASH FIXTURE



#### General Specifications

**HEADS** Chrome plated brass sprayhead assembly with twin soft-flow eye wash heads and protective pop-off sprayhead covers.

**VALVE** Chrome plated brass 1/2" stay-open ball valve manually operated by stainless steel push flag handle.

**STREAM CONTROL** Integral flow control assures safe flow under varying water supply conditions.

**WASTE** Dome type strainer and 1-1/4" drain fitting furnished.

**WALL BRACKET** Heavy-gauge sand cast aluminum protected with Bradtect™ safety yellow coating. Three clearance holes for wall mounting.

**IDENTIFICATION SIGN** 14" x 3-1/2" sign designed for wall mounting Reads: EMERGENCY EYE WASH FOUNTAIN.

CAT NO.	DESCRIPTION	OEM
9BL1002	Wall Mount Eye Wash	S19-220

### DECK MOUNTED SWING AWAY EYE WASH



#### General Specifications

Commonly mounted on counter close to sink. Unit swings to out-of-way position when not in use. This fixture does not include bowl.

**HEADS** Chrome plated brass sprayhead assembly with twin soft-flow eye wash heads and protective pop-off sprayhead covers.

**VALVE** Chrome plated brass 1/2" stay-open ball valve hand operated by stainless steel push flag handle.

**STREAM CONTROL** Integral flow control assures safe steady flow under varying water supply conditions.

**WATER SUPPLY** 1/2" IPS

**IDENTIFICATION SIGN** 14" x 3-1/2" sign designed for wall mounting Reads: EMERGENCY EYE WASH FOUNTAIN.

CAT NO.	DESCRIPTION	OEM
9BL1003	(See above)	S19-270B

### COMBINATION DRENCH SHOWER/ EYE WASH UNIT



#### General Specifications

**SHOWER HEAD** 10" (254mm) diameter yellow impact resistant plastic.

**SHOWER VALVE** Chrome plated brass 1" IPS stay-open ball valve operated by stainless steel pull rod with triangular handle. Pull open-push close.

**EYE WASH** 10" diameter yellow impact-resistant bowl. Chrome plated brass sprayhead assembly with twin, soft-flow eye wash heads and protective sprayhead covers. /the integral flow control assures safe steady flow under varying water supply conditions.

**EYE WASH VALVE** Chrome plated 1/2" IPS stay-open ball valve, hand operated by stainless steel push flag handle.

**PIPE & FITTINGS** 1-1/4" galvanized steel pipe, Bradtect™ safety yellow coated, with floor flange. Provisions for vertical or horizontal supply.

CAT NO.	DESCRIPTION	OEM
9BL1004	Combo, Drench Shower Eye Wash Unit	S19-310

### DRENCH SHOWER HORIZONTAL SUPPLY



#### General Specifications

Designed for mounting on horizontal water supply pipe, these units provide large volume of water when activated. These showers are wall mounted or mounted flush in a ceiling.

**WATER SUPPLY** 1" IPS horizontal.

**SHOWER HEAD** 10" diameter yellow impact-resistant plastic.

**EYE WASH VALVE** Chrome plated 1/2" IPS stay-open ball valve, hand operated by stainless steel push flag handle.

**PIPE & FITTING** 1-1/4" galvanized steel pipe, Bradtect™ safety yellow coated, with floor flange. Provisions for vertical or horizontal supply.

CAT NO.	DESCRIPTION	OEM
9BL1000	Drench Shower Unit	S19-120

### KLEERSIGHT PORTABLE EMERGENCY EYE WASH



#### General Specifications

- See through visibility See-At-A-Glance: Time to clean or Check quality of solution, Time to Refill-Visibly can see when unit is low on solution.
- Complies with ANSI Z358.1 of 1981 (flushes eyes for 15 min. at 4 gal per min.)
- Smooth ball valve operation-No tubes to pinch or vandalize.
- 2 large cover permit easy filling.
- Constructed of BFGoodrich Geon RX Medical grade PVC, 5 times stronger than polyethelene and polypropylene.
- Hinged eyewash tray pulls down in one quick motion-No straps to lose.
- Recessed handles for carrying ease.
- Stainless steel wall bracket and anti-bacterial, anti-fungal flushing concentrate furnished with every unit.

CAT NO.	DESCRIPTION	OEM
9BL1007	Kleersite Eye Wash Unit	S19-921
9BL1008	Kleersite Refill Concentrate (Refills One Kleersite)	S19-899



# SAFETY EQUIPMENT

## EYE WASH ACCES.

### SPEAKMAN SEF-9200 ADD-ON EYEWASH FOR 5811 FAUCET

The SE-9200 Eyewash system provides an ANSI compliant eyewash solution with no additional plumbing required. This unit connects directly to the cold water integral stop port of any installed Speakman SC-5811 service sink faucet.



A special adapter fitting replaces the integral cold water stop permitting both units to operate independently of each other or simultaneously and there is never a worry about delivering scalding water to the eyes.



**CAT. NO.** 9SP9200 **DESCRIPTION** Add-on eyewash only.

### EYE WASH STATION INSPECTION TAGS

• Two sided plastic cards for record keeping and inspections.



**CAT. NO.** 811C100 **DESCRIPTION** Bag of 5 cards

### FAUCET MOUNTED EYE WASH STATION



- Install on any faucet - adapters included
- Does not interfere with normal faucet operation.
- Delivers a flood of water to eyes and face.
- Eye wash is activated by turning on faucet and pulling knob. Water pressure holds the eye wash in operation leaving users' hands free.
- Push knob to return to normal operation.
- Eye wash outlet heads deliver a soft aerated stream of water to gently rinse contaminants.

**CAT. NO.** 811C098 **DESCRIPTION** Faucet Mount Eye Wash

## HAND PROTECTION

### "THE RANCHER" LEATHER GLOVES



- One Size Fits All
- Heavy Duty Safety Cuff
- Reinforced Leather Grip & Knuckle

**CAT. NO.** 531G009 **DESCRIPTION** Leather Gloves


### "BLUE MEANIES" BLUE NITRILE GLOVE



- Blue nitrile is 10x stronger than latex
- Will not cause allergies like latex gloves
- 3 Sizes available
- Sold each, boxed per 100

**CAT. NO.** 531G005 **DESCRIPTION** Medium Nitrile Gloves  
531G003 Large Nitrile Gloves  
531G004 X-Large Nitrile Gloves

### BROWN COTTON JERSEY GLOVES



- Breathable 100% Cotton
- One Size Fits All
- Elastic Wrist Band
- Sold Per dozen

**CAT. NO.** 531G001 **DESCRIPTION** Brown Jersey Gloves

### "THE BIG DIPPER" RUBBER DIPPED GLOVES



**CAT. NO.** 531G006 **DESCRIPTION** 1 doz. Rubber Dipped Gloves

531G007 1 dozen Tuff Blue Latex Gloves (extra large)

### BLACK HEAVY DUTY INDUSTRIAL

Extra heavy duty rubber gloves, 14 inches long, rolled cuff, great for handling acid drain cleaner & other caustic materials. Priced per pair.



**CAT. NO.** 531 G 002 **DESCRIPTION:** 14 inches long

### POWER AUGER OPERATOR'S GLOVES



Hundreds of steel staples line these gloves, for unsurpassed protection against frayed cables. Sold each.

**CAT. NO.** 531 G 111 **DESCRIPTION** Right Hand  
531 G 112 Left Hand

### "COTTAGE CHEESE" GLOVES




These are absolutely the best gloves to wear when working with power augers and tough cables. The heavy duty texturing on these gloves gives the user an incredible level of protection against cuts and muck. Sold by the pair.

**CAT. NO.** 591 I 654 **DESCRIPTION** One Pair Cottage Cheese Gloves

## SCALD GUARD FOR SHOWERS

- Water slows to a trickle when triggered
- Resets in 10 to 20 Seconds
- Easy to install inside shower arm - installation tool included
- Economical safety and protection against scalding water burns



**CAT. NO.** 744C011 **DESCRIPTION** Shower Scald Guard



# SAFETY EQUIPMENT

## KNEE PADS

### FLEX-I-KNEE PADS

- Soft, solid design prevents fatigue--can be worn for hours.
- Wraparound hook and loop fasteners prevent slipping.



**CAT NO.** 591 I 221  
**DESCRIPTION** Flexible Knee Pads


### HARD CAP KNEE PADS

- One Size fits all
- hook and loop fasteners prevent slipping



**CAT NO.** 591 I 222  
**DESCRIPTION** Hard Cap Knee Pads

## EYE GEAR



- Clear Acrylic Lenses
- Ventilated Vinyl Facepiece
- Fit Over Prescription Glasses
- Meets OSHA Requirements

**CAT NO.** 521S001  
**DESCRIPTION** Goggle style

**CAT NO.** 521S002  
**DESCRIPTION** Eyeglass style

## EAR GEAR

- Large ear cups
- 33db noise reduction @ 500hz meets ANSI specs



**CAT NO.** 591 I 494

## LIGHTING

### SnakeLight® Flexible Flashlight


- High-intensity Xenon bulb for maximum brightness
- Flexible core for bending, coiling, draping, or wrapping
- Flexible positioning for hands-free lighting
- Heavy-duty ABS construction provides durability
- Requires two "C" batteries (not included)



**CAT NO.** 601 E 016

### AA ADJUSTABLE ALUMINUM FLASHLIGHT

- Wide angle to spotlight adjustment with a twist of the lens
- Hex Shaped end prevents rolling
- Belt pouch and replacement bulb included
- 7" long anodized aluminum body
- Water and shock resistant body
- INCLUDES two "AA" batteries
- Includes extra bulb



**CAT NO.** 601 E 017

### AAA PEN LIGHT

- Slim, lightweight aluminum tube body
- Powered by AAA batteries (not included)
- Sturdy pocket clip
- High quality pre-focused bulb



**CAT NO.** 601 E 018

### LED FLASHLIGHT / LASER POINTER

- Press one button for super bright LED light
- Press 2nd button for red laser pointer light
- Keychain included
- Batteries included



**CAT NO.** 601 E 021

### AA ADJUSTABLE TILT HEADLAMP

- Lamp tilts 90° to focus beam on work area
- Adjustable head band
- Extra bulb included
- Easy reach on/off street
- Requires four "AA" batteries




**CAT NO.** 591 I 668

**BATTERIES FOR THESE AND OTHER NEEDS ARE FOUND IN CHAPTER SIX.**

## TRAP WRAPS

### RUBBERIZED TRAP WRAP



- Insulated Semisoft Rubber
- Fits Any 1-1/2 or 1-1/4 Trap
- Easy to Clean
- Off White Color (Paintable)
- Meets ANSI, ADA, and Fire Code Requirements
- Self-Extinguishing Material
- Kit includes 1 Trap & 2 Riser Wraps

**CAT NO.** 721W001  
**DESCRIPTION** Rubberized Trap Wrap

**CAT NO.** 721W002  
**DESCRIPTION** As Above for Offset Lav Drains

### FOAM TAPE TRAP WRAP



- Economical Way to Insulate P-Traps
- Meets ADA Requirements
- 2" x 40' Roll for Several Traps and Risers
- Self Adhesive Foam Tape Prevents Theft

**CAT NO.** 654H001  
**DESCRIPTION** Foam Tape Trap Wrap



# SAFETY EQUIPMENT

0  
1  
2  
3  
4  
5  
6  
7  
8  
9



**Crest/Good Mfg. Co.,** Manufacturers of Quality Plumbing & Heating Specialties & Brass Since 1896  
90 Gordon Drive, Syosset, NY 11791 • East./Central Phone: 1-800-645-1251 • Mtn./Pacific Phone: 1-800-862-7378

# SAFETY EQUIPMENT

0  
1  
2  
3  
4  
5  
6  
7  
8  
9

10

10 - 6

**Crest/Good Mfg. Co.,** Manufacturers of Quality Plumbing & Heating Specialties & Brass Since 1896  
90 Gordon Drive, Syosset, NY 11791 • East./Central Phone: 1-800-645-1251 • Mtn./Pacific Phone: 1-800-862-7378



# SAFETY EQUIPMENT

0  
1  
2  
3  
4  
5  
6  
7  
8  
9



**Crest/Good Mfg. Co.,** Manufacturers of Quality Plumbing & Heating Specialties & Brass Since 1896  
90 Gordon Drive, Syosset, NY 11791 • East./Central Phone: 1-800-645-1251 • Mtn./Pacific Phone: 1-800-862-7378