







SAFETY EQUIPMENT

Contents of Chapter 10:

Eye Wash Stations		10-02
Hand Protection		10-03
Knee Pads		10-04
Eye & Ear Protection		10-04
Flashlights		10-04
P Trap Wraps		10-04



SAFETY EQUIPMENT

BRADLEY EMERGENCY EYE WASH STATIONS

PEDESTAL MOUNTED EYE WASH FIXTURE

Pedestal mounted eye wash fixture provides soft streams of water to clean foreign particles or liquids from the eyes.


Chrome plated brass yoke assembly with soft-flow eye wash heads and protective sprayhead covers.

Chrome plated brass 1/2" IPS stay-open ball valve manually operated by stainless steel push flag handle.

Integrated flow control assures safe flow under varying water supply conditions.

1-1/4" galvanized steel pipe with floor flange. 1-1/4" waste tee. Pipe & tee protected with Bradtect™ safety yellow coating. 1/2" IPS inlet.

14" x 3-1/2" sign designed for wall mounting reads: EMERGENCY EYE WASH FOUNTAIN.



CAT NO.	DESCRIPTION	OEM
9BL1001	Pedestal mount eye wash	S19-210

WALL MOUNTED EYE WASH FIXTURE

Chrome plated brass sprayhead assembly with twin soft-flow eye wash heads and protective pop-off sprayhead covers.


Chrome plated brass 1/2" stay-open ball valve manually operated by stainless steel push flag handle.

Integral flow control assures safe flow under varying water supply conditions.

Dome type strainer and 1-1/4" drain fitting furnished.

Heavy-gauge sand cast aluminum protected with Bradtect™ safety yellow coating. Three clearance holes for wall mounting.

14" x 3-1/2" sign designed for wall mounting reads: EMERGENCY EYE WASH FOUNTAIN.



CAT NO.	DESCRIPTION	OEM
9BL1002	Wall mount eye wash	S19-220

DECK MOUNTED SWING AWAY EYE WASH

Commonly mounted on countertop, close to sink.

Unit swings to out-of-way position when not in use. This fixture does not include bowl.


Chrome plated brass sprayhead assembly with twin soft-flow eye wash heads and protective pop-off sprayhead covers.

Chrome plated brass 1/2" stay-open ball valve hand operated by stainless steel push flag handle.

Integral flow control assures safe steady flow under varying water supply conditions.

14" x 3-1/2" sign designed for wall mounting reads: EMERGENCY EYE WASH FOUNTAIN.

CAT NO.	DESCRIPTION	OEM
9BL1003	Swing-away eye wash	S19-270B



COMBINATION DRENCH SHOWER/ EYE WASH UNIT

10" (254mm) diameter yellow impact resistant plastic.

Chrome plated brass 1" IPS stay-open ball valve operated by stainless steel pull rod with triangular handle.

Pull open-push close.

10" diameter yellow impact-resistant bowl, chrome plated brass sprayhead assembly with twin, softflow eye wash heads and protective sprayhead covers.

The integral flow control assures safe steady flow under varying water supply conditions.

Chrome plated 1/2" IPS stay-open ball valve, hand operated by stainless steel push flag handle.

1-1/4" galvanized steel pipe, Bradtect™ safety yellow coated, with floor flange.

Provisions for vertical or horizontal supply.

CAT NO.	DESCRIPTION	OEM
9BL1004	Combo, drench shower eye wash unit	S19-310



DRENCH SHOWER HORIZONTAL SUPPLY

Designed for mounting on horizontal water supply pipe, these units provide large volume of water when activated.

These showers are wall mounted or mounted flush in a ceiling.


1" IPS horizontal supply.

10" diameter yellow impact-resistant plastic shower head.

Chrome plated 1/2" IPS stay-open ball valve, hand operated by stainless steel push flag handle.

1-1/4" galvanized steel pipe, Bradtect™ safety yellow coated, with floor flange. Provisions for vertical or horizontal supply.

CAT NO.	DESCRIPTION	OEM
9BL1000	Drench shower unit	S19-120



Notes:



GUARDIAN EYE WASH STATION

AQUAGUARD GRAVITY FLOW 16 GAL. PORTABLE EMERGENCY EYE WASH

Self-contained unit delivers over eight gallons of water for fifteen minutes, complying with provisions of ANSI Z358.1-2009 for eyewashes. Ideal for use where a continuous supply of potable water is not available.

16 gallon tank. Built-in carrying handle, & heavy wall construction.

Activated by pulling down on bright yellow eye wash tray. Nozzles deliver soft spray of water. Swing tray up to storage position to stop flow.

Included 3 ft. long drain hose in basin directs discharge.

Unit can also be placed on countertop or other flat surface.

CAT NO.	DESCRIPTION	OEM
9GU1540	Gravity fed eyewash	G1540
9GU1541	Bacteriostatic additive (8oz)	G1540BA
9GU5541	MSDS for additive	



SAFETY EQUIPMENT

EYE WASH ACCES.

SPEAKMAN SEF-9200 ADD-ON EYEWASH FOR 5811 FAUCET

The SE-9200 Eyewash system provides an ANSI compliant eyewash solution with no additional plumbing required. This unit connects directly to the cold water integral stop port of any installed Speakman SC-5811 service sink faucet.

A special adapter fitting replaces the integral cold water stop permitting both units to operate independently of each other or simultaneously -- and there is never a worry about delivering scalding water to the eyes.



9SC5811 FAUCET IS SHOWN ON PAGE 9-10



CAT NO.	DESCRIPTION	OEM
9SP9200	Add-on eyewash only	SEF-9200
9SP5811	Faucet only	SC-5811

SPEAKMAN SEF-1800

The SEF-1800-CA Eyesaver® faucet combines a gooseneck faucet with an independently operated eyewash. The faucet features ¼ turn Speakman ceramic valves while the eyewash offers twin aerated sprays and flip-top dust covers. Lead free brass construction.



CAT NO.	DESCRIPTION	OEM
9SP1800	Faucet w/ eye wash	SEF-1800

EYE WASH STATION INSPECTION TAGS

Two sided plastic cards for record keeping and inspections.

CAT NO.	DESCRIPTION
811C100	Bag of 5 cards



FAUCET MOUNTED EYE WASH

- Install on any faucet - adapters included
- Does not interfere with normal faucet operation.
- Delivers a flood of water to eyes and face.
- Activated by turning on faucet and pulling knob.
- Water pressure keeps the eye wash running, leaving users' hands free.
- Push knob to return to normal operation.
- Eye wash outlet heads deliver a soft aerated stream of water to gently rinse contaminants.



CAT NO.	DESCRIPTION
811C098	Watersaver faucet mount eye wash

THERMOSTATIC EYEWASH MIXER

- In the event of interruption of the cold water supply, this mixer closes off the hot water port, stopping all water flow.
- In the event of interruption of the hot water supply, it still allows cold flow through both the fixed and variable bypasses.
- Temp range 70° to 90° F (set at 85° F)
- 1/2" pipe inlet



CAT NO.	DESCRIPTION
947L004	Lawler thermostatic mixer w/ gauge

HAND PROTECTION

"THE RANCHER" LEATHER GLOVES



- One Size Fits All
- Heavy Duty Safety Cuff
- Reinforced Leather Grip & Knuckle

CAT. NO	DESCRIPTION
531G009	Leather gloves

"BLUE MEANIES" BLUE NITRILE GLOVE



- Blue nitrile is 10x stronger than latex (5mil)
- Will not cause allergies like latex gloves
- Sold each, boxed per 100

CAT NO.	DESCRIPTION
531G005	Medium BLUE nitrile gloves
531G003	Large BLUE nitrile gloves
531G004	X-Large BLUE nitrile gloves

"BLACK JACK" BLACK NITRILE GLOVE



- Black nitrile is 8x stronger than latex (4mil)
- Will not cause allergies like latex gloves
- Sold each, boxed per 100

CAT NO.	DESCRIPTION
531G012	Medium BLACK nitrile gloves
531G013	Large BLACK nitrile gloves
531G014	X-Large BLACK nitrile gloves


BROWN COTTON JERSEY GLOVES



- Breathable 100% Cotton
- One Size Fits All
- Elastic Wrist Band
- Sold Per dozen

CAT NO.	DESCRIPTION
531G001	Brown jersey gloves

BLACK HEAVY DUTY INDUSTRIAL
Extra heavy duty rubber gloves, 14 inches long, rolled cuff, great for handling acid drain cleaner & other caustic materials. Priced per pair.



CAT NO.	DESCRIPTION:
531 G 002	14 inches long

"THE BIG DIPPER" RUBBER DIPPED GLOVES



CAT NO.	DESCRIPTION
531G006	1 doz. rubber dipped gloves

531G007	1 dozen Tuff Blue latex gloves (extra large)
---------	--

POWER AUGER OPERATOR'S GLOVES



Hundreds of steel staples line these gloves, for unsurpassed protection against frayed cables. Sold each.

CAT. NO	DESCRIPTION
531 G 111	Right hand
531 G 112	Left hand

"COTTAGE CHEESE" GLOVES



These are absolutely the best gloves to wear when working with power augers and tough cables. The heavy duty texturing on these gloves gives the user an incredible level of protection against cuts and muck. Sold by the pair.

CAT. NO	DESCRIPTION
591 I 654	One pair cottage cheese gloves

MANY MORE GLOVES SHOWN ON PAGE 6-28

SCALD GUARD FOR SHOWERS

SHOWER HEAD SCALD GUARD

Installs between shower head and arm, and slows water to a trickle when it reaches 120°. Resets in seconds when water cools to 115°.



CAT NO
744C011



SAFETY EQUIPMENT

KNEE PADS

FLEX-I-KNEE PADS

- Soft, solid design prevents fatigue--can be worn for hours.
- Wraparound hook and loop fasteners prevent slipping.



CAT NO.	DESCRIPTION
591 I 221	Flexible knee pads

HARD CAP KNEE PADS

- One size fits all
- hook and loop fasteners prevent slipping



CAT NO.	DESCRIPTION
591 I 222	Hard cap knee pads

KNEE & BACK PADS



- Designed for total knee support- 18"x13"x2"
- Multi-functional design provides back and side support when flipped over and used against the edge of the cabinet toe-kick.
- Constructed of closed cell foam resists water, dirt, oil, PVC glue, paint, etc.
- Cleans easily with mild soap and water
- Ribbed anti-slip surfacing on bottom provides stability while working.
- Made in U.S.A.

CAT NO.	DESCRIPTION:
591 I 223	Back & knee pad
591 I 226	Back & knee wedge

EYE GEAR



Eyeglass Style

Goggle Style

CAT NO.	DESCRIPTION:
521 S 001	Single pair, goggle style
521 S 002	Single Pair, eyeglass style

EAR GEAR

- Large ear cups
- 33db noise reduction @ 500hz meets ANSI specs



CAT NO.
591 I 494

LIGHTING

SNAKELIGHT FLASHLIGHT


- High-intensity Xenon bulb for maximum brightness
- Flexible core for bending, coiling, draping, or wrapping
- Flexible positioning for hands-free lighting
- Heavy-duty ABS construction provides durability
- Requires two "C" batteries (not included)



CAT NO.
601 E 016

AA ADJUSTABLE ALUMINUM FLASHLIGHT

- Wide angle to spotlight adjustment with a twist of the lens
- Hex Shaped end prevents rolling
- Belt pouch and replacement bulb included
- 7" long anodized aluminum body
- Water and shock resistant body
- INCLUDES two "AA" batteries
- Includes extra bulb



CAT NO.
601 E 017

AAA PEN LIGHT

- Slim, lightweight aluminum tube body
- Powered by AAA batteries (not included)
- Sturdy pocket clip
- High quality pre-focused bulb



CAT NO.
601 E 018

LED FLASHLIGHT / LASER POINTER

- Press one button for super bright LED light
- Press 2nd button for red laser pointer light
- Keychain included
- Batteries included



CAT NO.
601 E 021

AA ADJUSTABLE TILT HEADLAMP

- Lamp tilts 90° to focus beam on work area
- Adjustable head band
- Extra bulb included
- Easy reach on/off street
- Requires four "AA" batteries




CAT NO.
591 I 668

BATTERIES FOR THESE AND OTHER NEEDS ARE FOUND IN CHAPTER SIX.

TRAP WRAPS


RUBBERIZED TRAP WRAP



- Insulated semisoft rubber
- Fits any 1-1/2 or 1-1/4 trap
- Easy to clean
- Off-white color (Paintable)
- Meets ANSI, ADA, and fire code requirements
- Self-extinguishing material
- Kit includes 1 trap & 2 riser wraps

CAT NO.	DESCRIPTION
721W001	Rubberized trap wrap
721W002	As above for offset lavatory drains

FOAM TAPE TRAP WRAP



- Economical way to insulate P-Traps
- Meets ADA requirements
- 2" x 40' roll for several traps and risers
- Self adhesive foam tape prevents theft

CAT NO.	DESCRIPTION
654H001	Foam tape trap wrap



SAFETY EQUIPMENT



SAFETY EQUIPMENT

1
2
3
4
5
6
7
8
9

