

# CREST/GOO

### MANUFACTURING COMPANY, INC

Since 1896 America's Number One Source For Quality Plumbing Parts, Fixtures, Specialty Items and Tools For Now and The Next 100 Years.

finish.

### Regal® XL Flushometers provide water savings while maintaining performance advantages. Features such as an accurate flush delivery system, quiet performance and durable components add to the economics of the Regal XL. ADA Compliant Metal Non-Hold-Open Handle Screwdriver Bak-Chek<sup>™</sup> Angle Stop Included Adjustable Tailpiece Cast Wall Flange with Set Screw Vacuum Breaker Flush Connection High Copper, Low Zinc Brass for Dezincification Low Consumption flush accuracy PERMEX Handle Packing, Stop Seat & Vac. Breaker



## DROP IN KITS

921S927-Y (3.5gpf closet)......

921S924-Y (1.5qpf urinal).....

"Dual Filtered" kits put 2 filters in front of the metering by-pass of the diaphragm to keep debris from clogging the diaphragm. Under virtually all water conditions, you will have the best operating flush valve in the world.







921S538-Y	(A-1038-A - 3.5 GPF closet <u>Dual Filtered</u> kit)	\$22.99
921S541-Y	(A-1041-A - 1.6 GPF closet <u>Dual Filtered</u> kit)	\$22.99
921S537-Y	(A-1037-A- 1.5 GPF urinal <u>Dual Filtered</u> kit)	\$22.99
921S542-Y	(A-1042-A - 1.0 GPF urinal Dual Filtered kit)	\$22.99





### **TOUCHLESS** STORM HAND DRYERS

The **EcoStorm** HUSH dryer (9ES0940) is the industry's quietest high speed hand dryer, with a decibel rating of 63.5dB. The EcoStorm® operates at only 1000 Watts, using 90% less energy than conventional dryers, and offers a 97% cost savings versus paper towels! Ecostorm dryers include a 3 year warranty.

The BluStorm (9ES0950) offers a 10-15 second drying time, and a 77dB sound rating, and includes a 5 Year warranty.





9ES0940

9ES0950

**9ES0940-Y** (Model HD0940 -- 110/120v, Stainless steel finish).....

**9ES0950-Y** (Model HD0950 -- 110/120v, Stainless steel finish).....




## **CALL TOLL FREE TO ORDER:** (800) 645-1251 (East Coast) (800) 862-7378 (West Coast)

PRICES GOOD THROUGH JANUARY 31, 2015 GSA CONTRACT NUMBER GS-07F-9652S





434-001-Y (1qt Power Max).....\$6.99.4
433-001-C (1qt Whoosh!)....\$8.99.4
433-002-Y (1pt Single Shot)...\$50LD IN FULL
431-003-D (32oz Drainite)...\$50LD IN FULL
635ES ONLY)...\$6.99.4



### American FIT ALL Standard TANK LEVERS

American Standard's fit-all polished chrome replacement trip lever for most front mount lever toilets. Brass lever arm can be bent to fit.

322C099-Y

..\$9.79

## CHANNEL LOCK SMOOTH JAW PLIERS



10" smooth jaws won't mar plated fixtures. PermaLock fastener eliminates nut and bolt failures. Right angle teeth maximize bite and minimize wear.

**5911415-Y** (#415).....

.**\$15.99** 



LEAD FREE stops feature positive 1/4 turn shutoff for leak proof installation. (3/8 compression outlet.)



890T008-E (1/2 sw x 3/8 comp).......\$3.89 890T009-E (5/80D x 3/8 comp)......\$4.19 890T010-E (1/2 IP x 3/8 comp)......\$3.69

# PRESSURE PLUMBER

Many stubborn blockages can be cleared instantly with the 24 application Pressure Plumber. Even stubborn obstructions caused by hair, soap build up and fat can be removed in seconds using the Pressure Plumber's unique controlled pressure system.


Simply fill your sink with enough water to form a water tight seal and press the Pressure Plumber to send a jet of pressurized gas into the drain.



Can be used on all types of interior drains and is harmless to sound plumbing. Contains no CFCs. Adapter kit allows you to use on toilets, urinals, floor drains, etc.



## MOUNTING



carriers. Fits all standard closet carriers, including Jay R. Smith, Josam, Wade, and Zurn.

921Z203-E (flat)......

**\$12.99** 

921Z205-E (extended) \$21.9

### ZIP-IT DRAIN CLOG REMOVER TOOL



 18" barbed flexible tool to clean out scum and hair from drains.

• Simply insert into drain, twist, and pull out years of clogs.

591I688-K.....**\$2.99** 

# **FERRICO**WAX FREE FLOOR GASKET

Designed to seal toilets to a 4" toilet flange installed on 4" drain pipe. Also ideal











Strong, flexible adhesive creates a positive seal to the bottom of the toilet. Accommodates floors raised above the toilet flange by up to 3/4". Ribs form a tight, positive seal to the inside of the drain pipe -- no need for flange risers or stacked wax rings! (oem FTS-4)

836R022-E \$5.79



Also available: Wax free kit for 2" urinal installations. (oem FUS-2)

836R012-E \$4.49

Don't see what you need? We probably have it! (800) 645-1251 (East Coast Warehouse) (800) 862-7378 (West Coast Warehouse)

### ENZYMATIC URINAL BLOCKS

Box of 12 pucks -- each lasts up to 2,000 flushes.

Cleans with every flush - contains powerful surfactants and chelating agents.
Eliminates odors - billions of select



· Lets you know its cleaning - blues the water with every flush.

Fresh cherry fragrance

422-008-E (12 pack)......\$13.49 **422-508**.....(MSDS Sheet)

## TRAP SEAL ODOR STOPPE



Closing rest rooms for the winter? TRAP SEAL seals drain traps to prevent odors & stops sewer gases from rising from trap.

Use whenever traps dry out, are not in use, in remote areas. or where odors are a problem. Use for:

Use in floor, sink, & shower drains, toilets, urinals, water fountains, and condensate drains.

TRAP SEAL is ready-to-use directly from its 1 quart container.

432-003-E (1 QT).....\$19.99

432-503. .....(MSDS Sheet)



### HARKBITE NO-SOLDER QUICK REPAIR **VALVES**

SharkBite® valves make any plumbing repair fast and easy with unique push-fit tech-nology. Stainless steel teeth bite down and

grip the pipe, while the specially formulated O-ring compresses to create the perfect watertight seal. No soldering, no clamps, unions or glue. Easy to disassemble for changing & reuse.

896B228-E (1/2").......516 896B229-E (3/4")...... 896B230-E (1").....\$28.99

896B231-E (1-1/4")...... 896B232-E (1-1/2")..**\$107.99** 



911E/F Emergency Shower/Eyewash **Valve** 

Tempering valve for eyewash stations. GPM range: 2 to 7 gpm @ 30 psi for a single eyewash. Meets ANSI Z358.1-2004 voluntary standards.

50% OFF!

947L004-Y....



SELF CLEANING SOLDER FLUX

Crest/Good's proprietary self cleaning solder flux is more economical because it eliminates cleaning time - no burnishing of the metal is necessary. Will absolutely not turn green. Cleaning action of flux stops when heat is removed. Contains Zinc Chloride.

Sold per plastic container. (Case quantities listed below.)

**661-004-E** (4 oz, 24 or 48 per case)....... \$5.99<sub>ea</sub> 661-002-D (1/2 lb, 24 or 48 per case)....... 661-003-C (1 lb, 24 per case).....

661-502.....(MSDS Sheet for solder flux)



Stainless steel bristle brushes for cleaning 7/8" & 5/8" OD copper tubing. Withstand heavy use and resists flattening. Molded polyurethane handle contoured for a comfortable ergonomic grip.

644I010-E.....




Prevents unwanted use of most hose bibbs and commercial faucets with hose threads

Simple and economical

Keyed alike padlock

 Fits hose bibbs and bibb vacuum breakers



895B051-Y

SOLID BRASS hose cap with Grade A rubber washer



144B003-E

### **SLIDE - ON COMPRESSION** REPAIR COUPLINGS

Simply slice defective copper tubing at the break, slide coupling on, mate broken tubing together, and center



repair coupling in place. Compress both ends, & enjoy a permanent leak free solution!

347B101-E (1/2" x 6")..... 

347B103-E (3/4" x 6")..... **347B104-E** (3/4" x 12").....

CHICAGO FULL FLOW SPRAY
FAUGETS FULL FLOW SPRAY
Lest As Long As The Building SELF CLOSE VALVE

50% OFF!

Chrome plated self closing valve with 3/4" - 14 UNS Male Inlet Rubber bound spray head

9CF0740-Y.....



CHICAGO PRE-RINSE FAUCETS HOSE
Last As Long As The Building

**FOAM URINAL** 

MOUNTING GASKET

Dense leakpruf grey foam

• 53" Heavy duty white vinyl hose assembly • 9/16"-18 fem. inlet, & 3/4"-14 fem. outlet. 9CF1754-Y.....

50% OFF!

### **SOLID BRASS** SHOWER HEADS

Chrome plated swivel style head with fixed 50° spray pattern.

Non clogging, regardless of water condition. 1/2" FIP inlet

744C042-Y 3.99

**2.2 GPM AERATORS** 



Chrome 15/16 male

No clog, honeycomb insert



49¢ea |811C026-Y.... 177R001T-E.....

PRICES GOOD THROUGH JANUARY, 31, 2015 GSA CONTRACT NUMBER GS-07F-9652S



## BLUE MONSTER COMPRESSION S

Blue Monster Compression Seal Tape stops problem leaks *while under pressure* - without turning off the water source! A MUST HAVE for every engineering office!

Tape forms a waterproof seal for leaks up to 150psi, @ up to 500° on everything from galvanized and cast iron pipe to copper and all types of plastics & rubber.





Seals by compression - pull tape as tight as possible to form a chemical reaction that fuses the layers into a mass of silicone. Once fused, forms a heavy-duty bond that serves as an emergency or long-term repair.

**654T011-Y** (12 foot x 1" roll).....

**654T013-Y** (12 foot x 2" roll).....

### KOHLER LEAD



Used in current widespread faucets. Valve moves water in and out of the bottom of the valve so water never touches the stem.

Innovative design eliminates

common leak paths and ensures the valve's components are never exposed to water wear or mineral buildup.

KO2203-E(H)...... KO2204-E.(C)......

Quarter turn CERAMIC replacement cartridge for most Kohler faucets and shower valves.

Use these cartridges to replace Valvet "barrel" type stems, and give your faucet new 1/4 turn positive shutoff action.

KO3597C-E(H) KO3596C-E(C)



Soft, tough pigskin leather gloves w elastic wristband
 100gram Thinsulate<sup>®</sup> lining for cold weather

531G121-K.....





946T097

**946T095-A** (Replaces plastic #1225).....

9467095 **520.99 946T097-C** (Replaces brass #1200).....

# TOILET SUPPORT LEGS

The secure solution for supporting wall mounted toilets. Support mounts underneath the toilet bowl, working in conjunction with the existing wall carrier to redistribute the weight and increasing the weight capacity from 350 lbs to over 1000 lbs.

Prevent the hassle & the liability of broken toilets. Meet Bariatric Center of Excellence standards for ADA and bariatric toilets.

> Leg base can be raised up to 4" for cleaning access - Made of high impact ABS - Carriage & foot made of a chemical and stain resistant flex PVC that forms to the contour of the toilet.

For hospitals, nursing homes, govern ment facilities, stadiums, airports, theaters, office buildings and virtually every wall mounted toilet. Height Adjusts from 7.5" to 14"

5911691-K.....

Licensed American made replacements for Symmons Temptrol shower systems. Fully guaranteed to replace OEM parts. Save money when renewing your Temptrol valves!



947W164

947W213

947W213-Y.....

TA-10 SPINDLE

947W164-C 947S234-Y

TA-4 SEAT SET OEM WRENCH SET



Super bright LEDs resist impact & last for thousands of hours. 45° beam

 Magnet for most metal

surfaces Requires 3 AAA batteries



**591I678-E** (Headlamp).....**5999 601E061-E** (AAA battery)......

### STOP **SPLITTERS**

 CHROME PLATED brass splitters to utilize one angle stop for two functions.

 3/8 compression inlet, with either:

3/8 + 3/8 comp outlet, or 3/8 + 1/4 comp outlet.

**347Z001CP-B** (3/8 + 1/4).....**\$5-99 347Z002CP-B** (3/8 + 3/8)







Radiator heavy duty zinc valve spud wrench for use on 1/2" to 2" radiator

Grooved wrench grips interior nubs on the spud to tighten or loosen spuds from radiator.

|591I189-E.....**\$12.99** 

PRICES GOOD THROUGH JANUARY, 31, 2015

(800) 645-1251 (East Coast Warehouse) (800) 862-7378 (West Coast Warehouse)