


CREST/GOO


MANUFACTURING COMPANY, INC Since 1896 America's Number One Source For Quality Plumbing Parts, Fixtures, Specialty Items and Tools For Now and The Next 100 Years.

2017 SPRING SPECIALS













Packed in a metal case complete

with a 17" sliding T-Handle.

CALL TOLL FREE EASTERN & CENTRAL TIMES:

800-645-1251 (East Coast) - 800-862-7378 (West Coast)





SINGLE HOLE LABRATORY DECK FAUCETS

Single supply sink faucet • 5-3/8" Rigid/Swing gooseneck spout. 2.2 GPM (8.3 L/min) Aerator. • Lever or wristblade handles.

Quarter turn ceramic operating cartridges.



| 9ZR1050-E | (Z825-B1) | .\$ | 99 | .99 | |
|-----------|-----------|-----|-----------|------------|--|
| 9ZR1350-E | (Z826-B1) | 31 | 55 | .99 | |

Also available with ADA wrist blade handles.

| 9ZR1052-E (Z825-B4) | 31 | 03 | .99 |
|----------------------------|----|----|-----|
| 9ZR1351-E (7826-B4) | 1 | 64 | .99 |

DIAPHRAGM COMBO K

 Prepackaged 4 piece kit includes diaphragm, orifice plate assembly, actuator spring, and seat with o-ring.



9AN0266-D (2560-015).....

DRAINITE - NON ACID

Odorless, ready to use liquid is heavier than water, so it goes right to the clog. Harmless to porcelain, drain pipes, septic tanks, cesspools. Liquifies hair, grease, fats, coffee, and organic waste. 32oz bottle

431-003-E (32oz)..... **431-503-N**....(MSDS sheet)




BOUGHT IN MULTIPLES OF 12

17 gauge

slip joint extra long double offset

726S009



• 17 gauge tubular



726S110-Y (1-1/2" x 12" CP flanged tailpiece)......**\$10.9 726S112-Y**(1-1/2" x 12" RB flanged tailpiece)..........**\$9.9 724S007-Y** (1-1/4" x 12" CP Fine thread cutoff)........ 726S009-Y (1-1/2" RB double SJ offset).


> CSA B125.3 certified 9SM7210-Y (7-210-CK).....

DE-ON COMPRESSION

Simply slice defective copper tubing at the break, slide coupling on, mate broken tubing together, and center repair coupling in place. Compress both ends, & enjoy a permanent leak free solution! 347B101-Y (1/2" v 6")

| 341 D 10 1-1 (1/2 x 0) | |
|---------------------------------------|----------------|
| 347B102-Y (1/2" x 12") | \$15.99 |
| 347B103-Y (3/4" x 6") | |
| - 4 4- 4- 3-5 | AAA AA |
















Note: Fisher faucets now use Watts vacuum breaker repair kits. AS80-Y(oem 66501).....\$14.99 AS82-Y(oem 961107).....\$10.19 CF42-Y(oem 892-302).....\$14.99 **SP40-Y**(oem 05-0520)......**\$25.99** TS40-Y(oem B968-3/8")......\$18.99 TS41-Y(oem B969-1/2")......\$21.59 WT38-Y(1/4" & 3/8")......\$11.99 TS40/TS41 WT38/WT12 WT12-Y(1/2").....\$18.99

Don't see what you need? We probably have it! (800) 645-1251 (East Coast Warehouse) (800) 862-7378 (West Coast Warehouse)



SetFast toilet bolts simplifies toilet installation and removal. Slotted telescopic toilet bolt requires no cutting, and won't spin. Just tighten the nut and watch the bolt get shorter with each turn.

Adjustable no-tip retainer keeps the bolt locked in the upright position.

Solid brass bolts are 5/16" x 2-1/4" (or 3") long, and packed in pairs with large 9/16" brass hex nuts and stainless steel washers.

WATER SAVING AERATORS • Cleanable insert. • Priced per each aerator. • Shipped in protective tubes of 6 aerators. 811C049-C (0.5 GPM 15/16 dual) 811C005-C (1.0 GPM 15/16 dual) 811C114-B (1.5 GPM 15/16 dual) \$1.69





• 36" long, 1-3/4" diameter pump with 6' flexible hose





Spiralink $^{\text{TM}}$ is a permanent replacement for the failure-prone 4-spring, "fly away" coupling originally used in B & G circulators and clones by Armstrong, White-Rogers, Taco, & others.





• Four Spiralink $^{\text{TM}}$ models cover the whole range of B & G pumps up to 1 HP at 1750 RPM (Up to 2 HP at 3450 RPM), and the Taco series 121 - 138.



| 794B432-Y(10023) | 34.9 | 9 |
|------------------------------|------|---|
| 794B434-Y(10034) | 19.9 | 9 |
| 794B430-Y ₍₁₀₀₁₀₎ | 19.9 | ğ |

TORCH GUARD

 Asbestos-free, high strength carbon fiber mat that stands up to heat while other materials peel, flake, and break down.

 Ideal for confined working areas.

 Very flexible, easy to work with; heat resistance up to 2500°F.

> 5911701-E \$17.99

ANTI SLII TAPE

Wet weather is here...Growing time for moss and algae on your walkways!

 Durable 46-grit mineral abrasive compound for excellent longevity.

excellent longevity.

• Solvent based acrylic adhesive sticks to a wide variety of surfaces, while offering water & chemical resistance.

656G702-K (2" x 60') \$21.99

656G704-K (4" x 60')



 Hand torch with self-igniting trigger start. Maximum target/ efficient heat output.

Adjustable swirl flame.

Piston regulator assures consistent performance in hot or cold weather.

Cast aluminum.

LT91: Standard Swirl Flame LT92: Ultra Swirl Flame

5911291-E (LT91) **\$109.99 5911292-E** (LT92)



YOUR CHOICE: \$2.99ea





Two-part epoxy compound repairs almost anything--even under water. Use on materials up to 300° F. Safe for use with potable water.

PRICES GOOD THROUGH APRIL 30, 2017 GSA CONTRACT NUMBER GS-07F-9652S





BRASS GARDEN



HANDLE REMOVES TO **BECOME A** LOOSE KEY VALVE!

Use a standard 1/4 valve key to operate the square stem when the handle is removed.

895B048-E (1/2 sweat inlet)

Also available: High pressure garden hose vacuum breaker

Bimetal blades

for metal cutting.



764T003-E

501E007-E

(12" x 32 TPI) **59¢ EA**





PREPACKED SHOWER TRIM KITS

Save time and money by buying these prepacked upgrade kits for your showers. Includes flange, handle, tube, and screws.

MOTK1-K (Deep flange kit for MOEN)....\$29.99 MOTK2-K (Flat flange kit for MOEN).......\$29.99





DETK1

MOTK1

MOTK2

DETK1-K (Flange kit for DELTA)...... SYMMONS Symmetrix S-20 series 4" centerset mount



 Optional pop-up drain 1.5 gpm aerator

 Metăl construction KN-4 ceramic cartridge

 3/8" copper inlet lines (includes 1/2" inlet adapters)

9SM0620-K (With pop-up)..... **9SM0621-K** (Less pop-up, less pop-up hole).







SORRY,

NO RAIŃ-

CHECKS

| | 947S604, GB10TG | O. J. Harry | 845-001 |
|-----------|--------------------|-------------------|----------------|
| 9475604 | Y (KN-4 cartri | dge & wrench) | \$39.99 |
| GB10TG- | E (cartridge on | nly, less wrench) | \$18.99 |
| | | tyle hose) | |
| | | tyle hose) | |
| 845-001-0 | C (Plumber's p | utty) | \$2.79 |

PIGGY B/

Mounts ON TOP of an existing defective angle stop, and becomes your primary shutoff valve. 3/8" compression inlet & outlet.

891T044-E

Pocket sized driver with reversible two sided bit. 5911044-Y



CREST/GOOD MANUFACTURING CO., INC PRICES GOOD THROUGH APRIL 30, 2017

(800) 645-1251 (East Coast Warehouse) (800) 862-7378 (West Coast Warehouse)